

Residual pressure Exhaust valve (HVS)

SHVS

SHVS3000M~4000M Series



SHVS 3000M





SHVS 4000M

⚠ WARNING : Should be used lock when close the valve !!



Follow the instruction above.

Or severe injury to users or fatal damage to machineries will follow.

SHVS 3000M



SHVS 4000M





Accessory for Modular type

Gauge Series





G40-10-01





G50-10-02

G40-10-01



G50-10-02




Model	Pressure bounds	Applicable model	Weight(g)
G40-10-01	0~1(MPa)・0~9.9(kgf/cm ²)	SAR2000, SAW2000, SAWD2000, SAWM2000 SAU2000, 2010, 2020, 2030, 2040, 2050, 2060 SAR3000, SAW3000, SAWD3000, SAWM3000 SAU3000, 3010, 3020, 3030, 3040, 3050, 3060	72
G50-10-02	0~1(MPa)・0~9.9(kgf/cm ²)	SAR4000, SAW4000, SAWD4000, SAWM4000 SAR6000, SAW6000, SAWD6000, SAWM6000 SAU4000, 4010, 4020, 4030, 4040, 4050, 4060 SAU6000, 6010	128

Accessory for Modular type


Accessory

L type Bracket-With spacer



Model	A	B	C	D	E	F	G	R	L	Applicable model
B310L	35	16	7	4	41	7	11	3.5	33	SAU3000M, 3030M, 3050M, 3060M
B410L	40	22	9	4	50	7	14	4.5	50	SAU4000M-04, 4030M-04, 4050M-04, 4060M-04
B510L	40	22	8.5	4	50	7	14	4.25	50	SAU4000M-06, 4030M-06, 4050M-06, 4060M-06
B610L	50	24	12	4	70	10	15	6	63	SAU6000M

T type Bracket-With spacer



Model	A	B	C	D	E	F	G	H	R	L	Applicable model
B210T	24	14	5.5	3	30	5	12	48	2.75	33	SAU2000M, 2010M~2060M
B310T	35	16	7	4	41	7	11	70	3.5	45	SAU3010M, 3020M, 3040M
B410T	40	22	9	4	50	7	14	80	4.5	50	SAU4010M, 4020M, 4040M
B610T	50	24	12	4	70	10	15	100	6	63	SAU6010M



Accessory for Modular type

Bracket for SAF / SAL






B400



B300



B200



Model	A	B	C	D	E	F	G	H	I	J	R	t	Bolt size	Applicable model
B200	38	27	14.5	8	14.5	11	30	4.5	6	4.5	2.25	2	M4×8L	SAF2000, SAL2000 SAFM 2000, SAFD2000
B300	53	40	39	32	26.5	19	35	4.5	8	6.5	3.25	2.3	M4×8L	SAF3000, SAL3000 SAFM3000, SAFD3000
B400	70	54	48	38	28.5	20	47	5.5	10	8.5	4.25	2.3	M5×10L	SAF4000, SAL4000 SAFM4000, SAFD4000
B600	90	66	64	52	43	30	65	6.5	13	11	5.5	3.2	M6×10L	SAF6000, SAL6000 SAW6000 SAWM6000, SAWD6000

Accessory for Modular type

Accessory


Bracket for SAR / SAW



B220

B320

B420



Model	A	B	C	D	E	F	G	H	ϕI	J	R	t	Applicable model
B220	37	27	20	15	44	25	6	4.5	30.5	16.5	2.25	2	SAR2000, SAW2000 SAWM2000, SAWD2000
B320	53	40	22	13.5	67	41	8	6.5	42.5	25	3.25	2.3	SAR3000, SAW3000 SAWM3000, SAWD3000
B420	70	54	27	18	80	50	10.5	8.5	52.5	30	4.25	2.3	SAR4000, SAR6000 SAW4000, SAWM4000 SAWD4000